## **Amendment to the Claims**:

The listing of claims will replace all prior versions, and listings of claims in the application:

## **Listing of Claims**:

1. (Currently Amended) A <u>mobile</u> terminal having a first receiver for receiving a first signal from a first communications network comprising:

a second receiver <u>within said mobile terminal</u> for receiving a second signal conveying complementary information relating to said first signal <u>transmitted</u> from a second communications network.

- 2. (Currently Amended) A terminal according to claim 1, further comprising a controller for configuring said first receiver according to said complementary information.
- 3. (Previously Presented) A terminal according to claim 1, wherein said first receiver is enabled to receive said first signal in response to said complementary information.
- 4. (Previously Presented) A terminal according to claim 1, wherein said complementary information comprises schedule and configuration data.

- 5. (Currently Amended) A terminal according to claim 1, further-comprising storage means for storing user preferences.
- 6. (Currently Amended) A terminal according to claim 5, further-comprising decision means for deciding whether said second signal should enable said first receiver in dependence on the stored user preferences.
- 7. (Previously Presented) A terminal according to claim 1, wherein said first signal is a digital video broadcasting (DVB) signal, and said first receiver is a digital video broadcasting (DVB) receiver.
- 8. (Previously Presented) A terminal according to claim 1, wherein said second signal is a global system for mobile (GSM) signal, and said second receiver is a global system for mobile (OSM) receiver.
- 9. (Previously Presented) A terminal according to claim 1, wherein said second signal is a general packet radio service (GPRS) signal, and said second receiver is a general packet radio service (GPRS) receiver.
- 10. (Previously Presented) A terminal according to claim 1, wherein the first signal includes a data file, said terminal being actuable in response to said complementary information to receive said data file.

11. (Withdrawn) Apparatus for transmitting a signal to a receiver via a first communications network comprising:

a transmitter for transmitting complementary information relating to said signal via a second communication network.

- 12. (Withdrawn) Apparatus according to claim 11, wherein said complementary information comprises schedule and configuration data relating to said first signal.
- 13. (Withdrawn) Apparatus according to claim 11, further comprising storage means for storing details of subscriber preferences.
- 14. (Withdrawn) Apparatus according to claim 13, further comprising decision means for deciding to which subscribers to transmit said second signal in dependence on said stored subscriber preferences.
- 15. (Withdrawn) Apparatus according to claim 11, wherein said first signal is a digital video broadcasting (DVB) signal, and said first communications network is a digital video broadcasting (DVB) network.
- 16. (Withdrawn) Apparatus according to claim 11, wherein said second communications network is a global system for mobile (GSM) network, and said transmitter is a global system for mobile (GSM) transmitter.

- 17. (Withdrawn) Apparatus according to claim 11, wherein said second communications network is a general packet radio service (GPRS) network, and said transmitter is a general packet radio service (GPRS) transmitter.
- 18. (Currently Amended) A method of receiving a first signal <u>by a mobile</u> terminal from a first communications network comprising:

receiving a second signal <u>with said mobile terminal</u> conveying complementary information relating to said first signal <u>transmitted</u> from a second communications network.

- 19. (Currently Amended) A method according to claim 18, further comprising receiving said first signal in accordance with said complementary information.
- 20. (Currently Amended) A method according to claim 18, further comprising storing user preferences.
- 21. (Currently Amended) A method according to claim 20, further comprising deciding whether said second signal should be received in dependence on said stored user preferences.
- 22. (Withdrawn) A method of transmitting a signal to a receiver via a first communications network comprising:

transmitting complementary information relating to said signal via a second

communication network.

- 23. (Withdrawn) A method according to claim 22, wherein the step of transmitting complementary information comprises transmitting schedule and configuration data relating to said signal.
- 24. (Withdrawn) A method according to claim 22, further comprising storing details of subscriber preferences.
- 25. (Withdrawn) A method according to claim 24, further comprising deciding whether to transmit said complementary information to a subscriber in dependence on said stored preferences.
- 26. (Withdrawn) A method according to claim 22, comprising transmitting said signal as a digital video broadcasting (DVB) signal.
- 27. (Withdrawn) A method according to claim 22, comprising transmitting said complementary information via a global system for mobile (OSM) network.
- 28. (Withdrawn) A method according to claim 22, comprising transmitting said complementary information via a general packet radio service (GPRS) network.

- 29. (Withdrawn) A method of transmitting a signal to a receiver via a first communications network, comprising receiving a request for non-scheduled content to be included in said signal and transmitting service information via a second communications network identifying availability of said non-scheduled content.
- 30. (Withdrawn) A method as claimed in Claim 29, wherein said service information is generated in accordance with changes to scheduled content to include said non-scheduled content in said signal.
- 31. (Withdrawn) A method as claimed in Claim 29, wherein said service information includes schedule and configuration data relating to said signal.
- 32. (Withdrawn) A method as claimed in Claim 29, wherein said service information identifies a time and channel location at which said nonscheduled content will be transmitted.
- 33. (Withdrawn) A method of receiving a first signal from a first communications network, comprising requesting non-scheduled content to be included in said signal, receiving a second signal conveying service information via a second communications network identifying availability of said non-scheduled content and activating reception of said first signal in accordance therewith.

- 34. (Withdrawn) A method as claimed in Claim 33, wherein reception of said first signal is deactivated following reception of said non-scheduled content.
- 35. (Withdrawn) A method as claimed in Claim 33 or Claim 34, wherein acknowledgement of reception of said non-scheduled content is made to said first communications network.
- 36. (Withdrawn) A method as claimed in any one of Claims 33 to 35, including storing said non-scheduled content following reception of said signal.
- 37. (Withdrawn) A method of transmitting a signal to a receiver via a first communications network comprising transmitting complementary information relating to said signal via a second communications network, wherein said first signal contains public data and said complementary information contains personal data.
- 38. (Currently Amended) A method of receiving a first signal with a mobile terminal transmitted from a first communications network comprising receiving with said mobile terminal a second signal conveying complementary information relating to said first signal transmitted from a second communications network, and combining said information from said second signal with content in said first signal.
- 39. (Currently Amended) A method as claimed in Claim 38, wherein said complementary information comprises personal data, said data being combined with generic data forming said content of said first signal.

40. (Currently Amended) A method as claimed in Claim 38, wherein said second signal further comprises schedule and configuration data relating to said first signal identifying said content.

41. - 44. Cancelled